

## INSTRUMENTOS DE GRABACIÓN



SKU: N / A | Categorías: [Humedad](#) |

## DESCRIPCIÓN DEL PRODUCTO

[vc\_row type="in\_container" full\_screen\_row\_position="middle" column\_margin="default" scene\_position="center" text\_color="dark" text\_align="left" overlay\_strength="0.3" shape\_divider\_position="bottom" bg\_image\_animation="none"][vc\_column column\_padding="no-extra-padding" column\_padding\_position="all" background\_color\_opacity="1" background\_hover\_color\_opacity="1" column\_link\_target="\_self" column\_shadow="none" column\_border\_radius="none" width="1/1" tablet\_width\_inherit="default" tablet\_text\_alignment="default" phone\_text\_alignment="default" overlay\_strength="0.3" column\_border\_width="none" column\_border\_style="solid" bg\_image\_animation="none"][vc\_column\_text]Instrumentos de grabación, desarrollamos una línea de productos de instrumentos de medición de registro que combinan las ventajas de los conocidos y establecidos instrumentos, con los requisitos de diseño claro, producción ambiental y un buen precio. significa resultados precisos con la medición de temperatura, humedad y presión del aire.

- Diseño
- Claro
- Período de revolución claramente legible de 1, 7 o 31 días
- Elementos de medición precisos
- Independencia de suministro Carcasa
- Duradera
- Recubrimiento de polvo ambientalmente
- Fácil de operar

[/vc\_column\_text][vc\_row\_inner column\_margin="default" text\_align="left" css=".vc\_custom\_1597668708409{border-radius: 2px !important;}"][vc\_column\_inner column\_padding="no-extra-padding" column\_padding\_position="all" background\_color="#9492ff" background\_color\_opacity="1" background\_hover\_color\_opacity="1" font\_color="ffffff" column\_shadow="none" column\_border\_radius="none" column\_link\_target="\_self" width="1/4" tablet\_width\_inherit="default" overlay\_strength="0.3" column\_border\_width="none" column\_border\_style="solid" bg\_image\_animation="none"][vc\_column\_text]

### Imagen

[/vc\_column\_text][vc\_column\_inner][vc\_column\_inner column\_padding="no-extra-padding" column\_padding\_position="all" background\_color="#9492ff" background\_color\_opacity="1" background\_hover\_color\_opacity="1" font\_color="ffffff" column\_shadow="none" column\_border\_radius="none" column\_link\_target="\_self" width="1/4" tablet\_width\_inherit="default" overlay\_strength="0.3" column\_border\_width="none" column\_border\_style="solid" bg\_image\_animation="none"][vc\_column\_text]

### Nombre del Producto

[/vc\_column\_text][vc\_column\_inner][vc\_column\_inner column\_padding="no-extra-padding" column\_padding\_position="all" background\_color="#9492ff" background\_color\_opacity="1" background\_hover\_color\_opacity="1" font\_color="ffffff" column\_shadow="none" column\_border\_radius="none" column\_link\_target="\_self" width="1/2" tablet\_width\_inherit="default" overlay\_strength="0.3" column\_border\_width="none" column\_border\_style="solid" bg\_image\_animation="none"][vc\_column\_text]

### Descripción corta

[/vc\_column\_text][vc\_column\_inner][vc\_row\_inner][vc\_row\_inner column\_margin="default" text\_align="left"][vc\_column\_inner column\_padding="no-extra-padding" column\_padding\_position="all" background\_color\_opacity="1" background\_hover\_color\_opacity="1" column\_shadow="none" column\_border\_radius="none" column\_link\_target="\_self" width="1/4" tablet\_width\_inherit="default" overlay\_strength="0.3" column\_border\_width="none" column\_border\_style="solid"

```
bg_image_animation="none"] [image_with_animation image_url="138435" alignment="center" animation="Fade In"
hover_animation="none" border_radius="none" box_shadow="none" image_loading="default" max_width="100%"
max_width_mobile="default"] [/vc_column_inner] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/4"
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text]
```

## Higrotermógrafo

```
1.0660.xx.xxx [/vc_column_text] [/vc_column_inner] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/2"
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] Instrumento de grabación para rel. humedad del aire y temperatura del aire
```

- Período de registro: 1 o 7 días

```
[/vc_column_text] [nectar_cta btn_style="see-through" heading_tag="h6" button_color="default" link_type="new_tab"
alignment="left" display="block" link_text="Leer más"
url="http://test.cotecno.cl/nuestros-productos/higrotermografo/"] [/vc_column_inner] [/vc_row_inner]
```

```
[vc_row_inner column_margin="default" text_align="left"] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/4"
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [image_with_animation image_url="138435" alignment="center" animation="Fade In"
hover_animation="none" border_radius="none" box_shadow="none" image_loading="default" max_width="100%"
max_width_mobile="default"] [/vc_column_inner] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/4"
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text]
```

## Higrotermógrafo

```
1.0664.xx.xxx [/vc_column_text] [/vc_column_inner] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/2"
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] Instrumento de grabación para rel. humedad del aire y temperatura del aire
```

- Período de registro: 14 o 31 días

```
[/vc_column_text] [nectar_cta btn_style="see-through" heading_tag="h6" button_color="default" link_type="new_tab"
alignment="left" display="block" link_text="Leer más"
url="http://test.cotecno.cl/nuestros-productos/higrotermografo-2/"] [/vc_column_inner] [/vc_row_inner]
```

```
[vc_row_inner column_margin="default" text_align="left"] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/4"
```

```
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [image_with_animation image_url="138435" alignment="center" animation="Fade In"
hover_animation="none" border_radius="none" box_shadow="none" image_loading="default" max_width="100%"
max_width_mobile="default"] [/vc_column_inner] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/4"
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text]
```

## Higrotermógrafo

```
1.0665.xx.xxx [/vc_column_text] [/vc_column_inner] [vc_column_inner column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_shadow="none" column_border_radius="none" column_link_target="_self" width="1/2"
tablet_width_inherit="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] Instrumento de grabación para rel. Humedad y temperatura del aire
```

- Periodo de registro: 1, 14 o 31 días

```
[/vc_column_text] [nectar_cta btn_style="see-through" heading_tag="h6" button_color="default" link_type="new_tab"
alignment="left" display="block" link_text="Leer más"
url="http://test.cotecno.cl/nuestros-productos/higrotermografo-3/"] [/vc_column_inner] [/vc_row_inner]
```

```
[/vc_column] [/vc_row]
```

## INFORMACIÓN ADICIONAL

COTECNO